

<p>GAGE GLASSES</p> <p>1. Type: Reflex <input type="checkbox"/> Transparent <input type="checkbox"/> Tubular <input type="checkbox"/> Pressure? Low <input type="checkbox"/> Medium <input type="checkbox"/> High <input type="checkbox"/> Large Chamber <input type="checkbox"/> Weld Pad <input type="checkbox"/></p> <p>2. Conn.: Size: 1/2" <input type="checkbox"/> 3/4" <input type="checkbox"/> Type: NPT <input type="checkbox"/> SW <input type="checkbox"/> Flange* <input type="checkbox"/> Location: End <input type="checkbox"/> Side <input type="checkbox"/> Back <input type="checkbox"/> Other: <input type="checkbox"/> Vent <input type="checkbox"/> Drain <input type="checkbox"/></p> <p>3. Chamber Material <input type="checkbox"/> Cover Material <input type="checkbox"/></p> <p>4. Max. Design Rating: <input type="checkbox"/> @ <input type="checkbox"/></p> <p>5. Opt: Illuminator <input type="checkbox"/> Bellv. Washers <input type="checkbox"/> Shields* <input type="checkbox"/> Insulation Jacket* <input type="checkbox"/> Internal / External Heating* <input type="checkbox"/> Non-Frost Exten.* <input type="checkbox"/> Cal. Scale* <input type="checkbox"/> Off Shore Protection <input type="checkbox"/> NACE: Wetted <input type="checkbox"/> Environmental <input type="checkbox"/> Other <input type="checkbox"/></p> <p>6. Penberthy Model: <input type="checkbox"/></p>	<p>GAGECOCKS</p> <p>7. Pattern: Offset <input type="checkbox"/> Assembled to gage <input type="checkbox"/> Straight <input type="checkbox"/></p> <p>8. Conn Size: Vessel <input type="checkbox"/> Gage <input type="checkbox"/> Vent/Drain <input type="checkbox"/></p> <p>9. Material: Body <input type="checkbox"/> Trim <input type="checkbox"/></p> <p>10. Max. Design Rating: <input type="checkbox"/> @ <input type="checkbox"/></p> <p>11. Vessel Conn.: NPT <input type="checkbox"/> Socket weld <input type="checkbox"/> Flange* <input type="checkbox"/> Style: Rigid <input type="checkbox"/> Spherical Union <input type="checkbox"/> Male Union <input type="checkbox"/> Female Union <input type="checkbox"/></p> <p>12. Gage Conn.: NPT <input type="checkbox"/> Socket weld <input type="checkbox"/> Flange* <input type="checkbox"/> Style: Rigid <input type="checkbox"/> Male Union <input type="checkbox"/> Female Union <input type="checkbox"/> Spher. Union <input type="checkbox"/> Union <input type="checkbox"/> OS & Y <input type="checkbox"/></p> <p>13. Bonnet: Integral <input type="checkbox"/> Optional: ASME Ball Checks <input type="checkbox"/> 14. Renewable Seat <input type="checkbox"/> Omit Ball checks <input type="checkbox"/></p> <p>15. Vacuum Seat <input type="checkbox"/> Hand wheel <input type="checkbox"/> Lever <input type="checkbox"/></p> <p>16. Quick Closing <input type="checkbox"/> Type <input type="checkbox"/> Location: Gage <input type="checkbox"/> Gage Cock <input type="checkbox"/></p> <p>17. Drain / Vent Valves <input type="checkbox"/></p> <p>18. Penberthy Model: <input type="checkbox"/></p> <p>Notes: <input type="checkbox"/></p>
--	--

Item	Quant.	Tag No.	Visible Length		Vessel Centers	Operating Pressure			Temp	Service	Remarks
			in.	mm		psig	Barg	kPag			
1											
2											
3											
4											
5											
6											
7											
8											
9											
10											

Notes:

* Additional specification information required