

GLASS, GASKET & SHIELDS

Any/all level gage components are available. Please consult factory.

Industry standard glass sizes 1 - 9

Tempered borosilicate glass as standard, meeting DIN 7081*

Aluminosilicate glass available for higher temperature

Glass is available in either Reflex or Transparent

Standard gasket is Garlock IFG-5500

High temp gasket is SS reinforced Grafoil Grade GHR

HQ Mica shields - [.009 to .012]

All other gasket and shield materials are available in standard gage glass sizes

Any/all level gage components are available, please consult factory

** Meets industry standard for Borosilicate Level gage glass for chemical resistance of Hydrolytic, Acid and Alkali. Not all glass is created equal. Specify DIN 7081.*




STEAM-TRAC OEM REPLACEMENT MODULES

Huge inventory located at Questtec Solutions factory in Houston, Texas.

High quality and competitively priced replacement kits and modules for our STB-3000A bi-color gages

Quick and easy replacement

Aluminosilicate glass, HQ Ruby Mica and spiral wound grafoil gaskets supplied as standard



LEVEL-TRAC PROBES

Two Year Guarantee against insulator leakage!

QTS 810 & 820 probes offered in ceramic to metal full penetration vacuum brazing.

Type 800

Rated up to 1000 psi steam service

Maximum 550° F

TFE Insulated

316 SST, Graphite filled spiral wound gasket for secure sealing at column and a "pre set" gasket crush

Torque Valve: 53 ft/lbs

Type 810

Rated up to 2000 psi steam service

Maximum 1100° F

316 SST, Graphite filled spiral wound gasket for secure sealing at column and "pre set" gasket crush, vacuum brazed, Zirconium Oxide Insulator

Threaded column connection

Vacuum brazed probe construction

Torque Valve: 53 ft/lbs

Type 820 High Pressure

Rated up to 4350 psi steam service

Maximum 1100° F

Ferrule metal to metal compression fitting

Zirconium Oxide insulator
Vacuum brazed probe construction

Torque Valve: 45 ft/lbs